

1 Mathematical details

We provide some mathematical details for which we did not have enough space in the main paper.

1.1 Expression for the gradient of multiclass logistic regression (Equations 6 and 7)

For multiclass logistic regression, the loss function is:

$$L_S(\phi, V) = \frac{1}{|S|} \sum_{(x,y) \in S} L_{cls}(V, \phi(x), y) \quad (1)$$

$$L_{cls}(V, \phi(x), y) = -\log p_y(V, \phi(x)) \quad (2)$$

$$p_k(V, \phi(x)) = \frac{\exp(v_k^T \phi(x))}{\sum_j \exp(v_j^T \phi(x))} \quad (3)$$

Let us first calculate the gradient of p_k w.r.t each v_j :

$$\nabla_{v_j} p_k(V, \phi(x)) = \frac{\exp(v_k^T \phi(x)) \delta_{jk} \phi(x)}{\sum_j \exp(v_j^T \phi(x))} - \frac{\exp(v_k^T \phi(x)) \exp(v_j^T \phi(x)) \phi(x)}{(\sum_j \exp(v_j^T \phi(x)))^2} \quad (4)$$

$$= (p_k(V, \phi(x)) \delta_{kj} - p_k(V, \phi(x)) p_j(V, \phi(x))) \phi(x) \quad (5)$$

The gradient of $L_{cls}(V, \phi(x), y)$ w.r.t v_j is then:

$$\nabla_{v_j} L_{cls}(V, \phi(x), y) = -\frac{1}{p_y(V, \phi(x))} \nabla_{v_j} p_y(V, \phi(x)) \quad (6)$$

$$= -\frac{1}{p_y(V, \phi(x))} (p_y(V, \phi(x)) \delta_{yj} - p_y(V, \phi(x)) p_j(V, \phi(x))) \phi(x) \quad (7)$$

$$= (p_j(V, \phi(x)) - \delta_{yj}) \phi(x) \quad (8)$$

The gradient of $L_S(\phi, V)$ w.r.t v_j is therefore:

$$\nabla_{v_j} L_S(\phi, V) = g_j(S, V) = \frac{1}{|S|} \sum_{(x,y) \in S} (p_j(V, \phi(x)) - \delta_{yj}) \phi(x) \quad (9)$$

thus leading to Equations 6 and 7 in the main paper.

1.2 Proof that $\alpha(W, \phi(x), y) \in [0, 2]$:

Recall that $\alpha(W, \phi(x), y) = \sum_k (p_k(W, \phi(x)) - \delta_{yk})^2$. Since it is a sum of squares, $\alpha(W, \phi(x), y) \geq 0$. Further,

$$\sum_k (p_k(W, \phi(x)) - \delta_{yk})^2 = \sum_k p_k(W, \phi(x))^2 + \sum_k \delta_{yk}^2 - 2 \sum_k \delta_{yk} p_k(W, \phi(x)) \quad (10)$$

$$\leq \sum_k p_k(W, \phi(x))^2 + \sum_k \delta_{yk}^2 \quad (11)$$

$$\leq \sum_k p_k(W, \phi(x)) + \sum_k \delta_{yk} \quad (12)$$

$$= 2 \quad (13)$$

where the first inequality uses the fact that both p_k and δ_{yk} are positive, and the second inequality uses the fact that both p_k and δ_{yk} are less than or equal to 1.

2 Improvement vs similarity between base and novel categories

Our analogy-based hallucination strategy is based on the intuition that modes of variation are shared. However, this may not be true for novel categories that are very different from all the base classes. Here, we see if our hallucination strategy still provides useful gains for such categories.

We quantified the similarity between a novel category and the set of base categories by measuring how far up the ImageNet tree we need to go before encountering an ancestor of a base class. For convenience, we call this the “tree distance”. Figure 1 shows how the top-5 accuracy gains we get (with $n = 1$ examples per novel class) from hallucination varies with the tree distance of the novel category from base classes. As expected, we find that average gains are larger when the tree distance is lower. However, the fraction of classes seeing large gains (greater than 25 points) remains about the same for a tree distance of 1, 2 or 3 before decreasing quickly. Thus, while similar classes gain more, gains do carry over to categories quite far off from the base classes.

3 Numerical results

Tables 1 and 2 show the numerical top-1 accuracy on novel classes and all classes respectively. Note that some methods such as Model Regression [3] and Matching Networks [2] improve the top-1 accuracy for novel classes, but this seems to be at the expense of base classes, resulting in a lower accuracy when measured on all classes taken together.

Standard deviations for the accuracies are shown in Tables 3, 4, 5 and 6. Most of these values are less than 0.5 points.




Figure 1: (Left) Average gain in top-5 accuracy ($n = 1$) vs tree distance. (Right) The number of novel categories that see at least a 25 point gain (absolute) compared to the total number of novel categories, vs tree distance. Numbers on the bars indicate the percentage of classes that see a 25 point gain.

Representation	Lowshot phase	n=1	2	5	10	20
Baseline	Classifier	2.77	10.78	26.38	35.46	41.49
Baseline	Generation* + Classifier	9.17	15.85	25.47	33.21	40.41
SGM*	Classifier	4.14	13.08	27.83	36.04	41.36
SGM*	Generation* + Classifier	9.85	17.32	27.89	36.17	41.42
Batch SGM*	Classifier	4.16	13.01	28.12	36.56	42.07
Triplets	Classifier	6.22	15.13	24.58	28.73	31.14
L2*	Classifier	7.14	16.75	27.73	32.32	35.11
Dropout	Classifier	7.22	16.58	27.77	33.28	36.80
Decov	Classifier	1.75	8.83	26.52	36.33	41.87
L1*	Classifier	4.88	14.40	28.54	35.59	39.90
Multiverse	Classifier	1.55	6.47	19.93	31.04	39.65
Baseline	Model Regression	5.73	15.62	30.53	38.25	43.57
Baseline	Matching Network	18.33	23.87	31.08	35.27	38.45
Baseline-ft	Classifier	2.26	8.52	23.97	34.42	40.96
Baseline (Resnet 50)	Classifier	6.82	18.37	36.55	46.15	51.99
Baseline (Resnet 50)	Generation* + Classifier	16.58	25.38	36.16	44.53	52.06
SGM (Resnet 50)	Classifier	10.23	21.45	37.25	46.00	51.83
SGM (Resnet 50)	Generation* + Classifier	15.77	24.43	37.22	45.96	51.82

Table 1: Top-1 accuracy on novel classes. *Our methods.

Representation	Lowshot phase	n=1	2	5	10	20
Baseline	Classifier	29.16	33.53	41.57	46.33	49.74
Baseline	Generation* + Classifier	33.60	36.83	42.11	46.70	51.65
SGM*	Classifier	31.83	36.73	44.45	48.79	51.77
SGM*	Generation* + Classifier	34.12	38.09	44.50	48.82	51.79
Batch SGM*	Classifier	31.84	36.78	44.63	49.05	52.11
Triplets	Classifier	28.09	32.16	37.17	39.85	41.47
L2*	Classifier	33.18	38.21	44.07	46.74	48.37
Dropout	Classifier	31.29	36.05	42.12	45.33	47.53
Decov	Classifier	30.13	34.21	43.61	48.65	51.70
L1*	Classifier	30.37	35.40	42.82	46.80	49.39
Multiverse	Classifier	30.19	33.11	40.80	46.67	50.92
Baseline	Model Regression	29.70	33.84	38.15	39.23	40.21
Baseline	Matching Network	30.08	34.78	41.74	45.81	48.81
Baseline-ft	Classifier	28.14	31.55	39.61	45.04	48.63
Baseline (Resnet 50)	Classifier	36.33	42.95	52.71	57.79	61.01
Baseline (Resnet 50)	Generation* + Classifier	40.86	45.65	51.90	56.74	61.03
SGM (Resnet 50)	Classifier	38.73	45.06	53.40	57.90	60.93
SGM (Resnet 50)	Generation* + Classifier	41.05	45.76	53.39	57.90	60.92

Table 2: Top-1 accuracy on all classes. *Our methods.

Representation	Lowshot phase	n=1	2	5	10	20
Baseline	Classifier	0.20	0.42	0.52	0.40	0.21
Baseline	Generation* + Classifier	0.58	0.52	0.32	0.44	0.17
SGM*	Classifier	0.43	0.51	0.32	0.51	0.40
SGM*	Generation* + Classifier	0.40	0.55	0.34	0.37	0.34
Batch SGM*	Classifier	0.62	0.51	0.35	0.38	0.39
Triplets	Classifier	0.58	0.68	0.30	0.60	0.34
L2*	Classifier	0.62	0.57	0.42	0.42	0.28
Dropout	Classifier	0.72	0.47	0.31	0.44	0.32
Decov	Classifier	0.51	0.21	0.30	0.68	0.38
L1*	Classifier	0.18	0.48	0.26	0.58	0.34
Multiverse	Classifier	0.42	0.43	0.29	0.55	0.36
Baseline	Model Regression	0.29	0.43	0.38	0.49	0.17
Baseline	Generation* + Classifier	0.45	0.45	0.25	0.54	0.26
Baseline-ft	Classifier	0.53	0.63	0.17	0.40	0.28
Baseline (Resnet 50)	Classifier	0.49	0.77	0.24	0.41	0.20
Baseline (Resnet 50)	Generation* + Classifier	0.67	0.47	0.19	0.25	0.25
SGM (Resnet 50)	Classifier	0.30	0.54	0.16	0.27	0.28
SGM (Resnet 50)	Generation* + Classifier	0.54	0.25	0.20	0.25	0.30

Table 3: Standard deviation: top-5 accuracy, novel classes. *Our methods.

Representation	Lowshot phase	n=1	2	5	10	20
Baseline	Classifier	0.10	0.28	0.27	0.23	0.06
Baseline	Generation* + Classifier	0.33	0.36	0.23	0.27	0.08
SGM*	Classifier	0.28	0.29	0.18	0.28	0.26
SGM*	Generation* + Classifier	0.24	0.33	0.20	0.23	0.27
Batch SGM*	Classifier	0.35	0.32	0.22	0.25	0.26
Triplets	Classifier	0.36	0.40	0.22	0.37	0.21
L2*	Classifier	0.41	0.37	0.26	0.26	0.18
Dropout	Classifier	0.45	0.34	0.20	0.28	0.17
Decov	Classifier	0.29	0.16	0.20	0.42	0.24
L1*	Classifier	0.11	0.32	0.19	0.35	0.20
Multiverse	Classifier	0.24	0.27	0.15	0.34	0.28
Baseline	Model Regression	0.19	0.30	0.25	0.29	0.14
Baseline	Generation* + Classifier	0.37	0.35	0.23	0.35	0.20
Baseline-ft	Classifier	0.34	0.43	0.14	0.23	0.21
Baseline (Resnet 50)	Classifier	0.30	0.50	0.12	0.25	0.13
Baseline (Resnet 50)	Generation* + Classifier	0.44	0.30	0.12	0.16	0.16
SGM (Resnet 50)	Classifier	0.19	0.32	0.10	0.18	0.16
SGM (Resnet 50)	Generation* + Classifier	0.33	0.17	0.11	0.17	0.18

Table 4: Standard deviation: top-5 accuracy, all classes. *Our methods.

Representation	Lowshot phase	n=1	2	5	10	20
Baseline	Classifier	0.22	0.23	0.55	0.61	0.19
Baseline	Generation* + Classifier	0.21	0.31	0.51	0.43	0.27
SGM*	Classifier	0.28	0.14	0.53	0.40	0.41
SGM*	Generation* + Classifier	0.43	0.36	0.42	0.41	0.47
Batch SGM*	Classifier	0.33	0.40	0.49	0.35	0.47
Triplets	Classifier	0.13	0.37	0.54	0.32	0.38
L2*	Classifier	0.28	0.60	0.48	0.34	0.30
Dropout	Classifier	0.24	0.61	0.84	0.52	0.42
Decov	Classifier	0.09	0.24	0.30	0.38	0.37
L1*	Classifier	0.23	0.46	0.51	0.59	0.25
Multiverse	Classifier	0.17	0.19	0.56	0.59	0.29
Baseline	Model Regression	0.15	0.41	0.52	0.38	0.39
Baseline	Generation* + Classifier	0.52	0.87	0.31	0.30	0.30
Baseline-ft	Classifier	0.23	0.29	0.68	0.35	0.43
Baseline (Resnet 50)	Classifier	0.07	0.62	0.49	0.35	0.23
Baseline (Resnet 50)	Generation* + Classifier	0.26	0.42	0.73	0.43	0.36
SGM (Resnet 50)	Classifier	0.18	0.56	0.43	0.33	0.44
SGM (Resnet 50)	Generation* + Classifier	0.28	0.42	0.38	0.39	0.43

Table 5: Standard deviation: top-1 accuracy, novel classes. *Our methods.

Representation	Lowshot phase	n=1	2	5	10	20
Baseline	Classifier	0.10	0.19	0.26	0.39	0.12
Baseline	Generation* + Classifier	0.12	0.20	0.29	0.29	0.17
SGM*	Classifier	0.17	0.17	0.30	0.26	0.28
SGM*	Generation* + Classifier	0.28	0.22	0.24	0.29	0.33
Batch SGM*	Classifier	0.25	0.30	0.31	0.23	0.24
Triples	Classifier	0.08	0.28	0.30	0.17	0.22
L2*	Classifier	0.16	0.40	0.28	0.20	0.20
Dropout	Classifier	0.13	0.37	0.49	0.30	0.18
Decov	Classifier	0.08	0.17	0.20	0.27	0.26
L1*	Classifier	0.11	0.31	0.24	0.33	0.13
Multiverse	Classifier	0.09	0.13	0.36	0.36	0.15
Baseline	Model Regression	0.10	0.25	0.32	0.21	0.20
Baseline	Generation* + Classifier	0.43	0.47	0.36	0.30	0.27
Baseline-ft	Classifier	0.11	0.17	0.43	0.19	0.25
Baseline (Resnet 50)	Classifier	0.07	0.38	0.28	0.26	0.18
Baseline (Resnet 50)	Generation* + Classifier	0.14	0.25	0.42	0.26	0.25
SGM (Resnet 50)	Classifier	0.11	0.36	0.29	0.21	0.26
SGM (Resnet 50)	Generation* + Classifier	0.21	0.30	0.24	0.24	0.24

Table 6: Standard deviation: top-1 accuracy, all classes. *Our methods.

4 Other experimental details

Tables 7 and 9 show the base and novel categories we use for cross-validation. Tables 8 and 10 show the base and novel categories we use for our final results.

Figure 2 shows the ResNet-10 architecture. The ResNet-50 architecture is as described in [1].

5 Unpacking the low standard deviation

The standard deviation in these experiments seems fairly low given the fact that we are learning classifiers from only a few examples. We believe that this is because we are averaging the performance over multiple categories. To see if this is indeed the case, we ran an experiment where we chose a single category (picked once, uniformly at random), and ran five different low-shot learning experiments with $n = 2$, that is, with 2 randomly chosen examples from the novel category each time. The top-5 accuracy on the novel category for the baseline was $31.6 \pm 11.6\%$, while that for the SGM representation with generation (with 3 generated examples in total) was $61.6 \pm 7.0\%$. This gives a glimpse into the kind of improvements we see for single categories, and the amount of variance there is for individual categories.

We thank the reviewers for suggesting this experiment.




Figure 2: The ResNet-10 architecture. White circles represent ReLU and black circles show batch normalization. Identity shortcuts are shown as solid arrows, while dashed arrows show a 1×1 convolution with stride 2 to match spatial resolution and feature dimension.

n03394916 n02342885 n02782093 n02676566 n03000247 n03062245 n09399592 n02169497
n07615774 n01484850 n01819313 n02102318 n03874293 n02526121 n02835271 n03983396
n07749582 n07584110 n02091244 n04517823 n02749479 n07583066 n01943899 n03344393
n03379051 n03538406 n01698640 n02666196 n03627232 n02486410 n02988304 n03843555
n01693334 n04336792 n03425413 n02783161 n02317335 n02134084 n06874185 n03661043
n02119789 n02206856 n04579145 n02096177 n02114548 n04254777 n04005630 n03924679
n01755581 n03785016 n02977058 n01641577 n04350905 n02012849 n07565083 n03916031
n02391049 n02111500 n02106662 n01632458 n03481172 n02091134 n04192698 n04116512
n07930864 n04509417 n03450230 n01443537 n01632777 n04330267 n01990800 n02096051
n03457902 n02859443 n01687978 n12144580 n01560419 n02509815 n03127747 n01806143
n02910353 n03089624 n04277352 n02097658 n03769881 n03796401 n03444034 n02167151
n04258138 n03763968 n03393912 n01695060 n02410509 n04039381 n03929855 n04456115
n03218198 n01728572 n04325704 n04296562 n01820546 n02930766 n02786058 n03992509
n03908618 n02090379 n02110185 n02096437 n07742313 n02018207 n01614925 n04131690
n07730033 n02091635 n03467068 n07932039 n02364673 n01735189 n04311004 n04264628
n02100877 n01616318 n02510455 n03788195 n03291819 n02114855 n13044778 n03884397
n04118538 n04266014 n03131574 n02769748 n01729977 n01592084 n03476991 n02011460
n04613696 n03014705 n02917067 n07718747 n01742172 n01514859 n04589890 n02791124
n02412080 n03947888 n01981276 n03345487 n04346328 n04423845 n01494475 n03208938
n02112706 n03124170 n02814860 n02099429 n03930630 n02105641 n04065272 n03976657
n02492035 n02966687 n04389033 n07753113 n04548362 n01910747 n04239074 n03792782
n04120489 n03216828 n02992211 n03400231 n01795545 n02107908 n03544143 n02099267
n02951358 n01950731 n02488291 n03085013 n03777754 n03630383 n01873310 n03670208
n02105056 n01883070 n04597913 n04590129 n03706229 n01622779 n02100735 n02939185
n03841143

Table 7: C_{base}^1

References

- [1] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In *CVPR*, 2016.
- [2] Oriol Vinyals, Charles Blundell, Timothy P. Lillicrap, Koray Kavukcuoglu, and Daan Wierstra. Matching networks for one shot learning. *CoRR*, abs/1606.04080, 2016.
- [3] Yu-Xiong Wang and Martial Hebert. Learning to learn: Model regression networks for easy small sample learning. In *ECCV*, 2016.

n01807496	n02916936	n03794056	n01847000	n04044716	n04136333	n11879895	n03534580
n04482393	n03127925	n02264363	n04542943	n01968897	n02871525	n03290653	n04487394
n03950228	n02321529	n01773157	n03271574	n07697313	n03602883	n01582220	n04019541
n02486261	n02009229	n02093754	n01491361	n01756291	n04548280	n02894605	n03201208
n04254680	n03814639	n03495258	n04086273	n03376595	n03527444	n03594734	n03494278
n04099969	n02268443	n07734744	n01806567	n02704792	n04525305	n04560804	n03388549
n03854065	n02690373	n03775071	n03485794	n02086646	n04286575	n02120505	n04485082
n01978455	n04493381	n12768682	n02992529	n02488702	n04153751	n04332243	n01829413
n04200800	n03483316	n09428293	n04591713	n04606251	n04252225	n03016953	n02091831
n02009912	n04209239	n02422699	n02071294	n02966193	n02117135	n02965783	n02123597
n04552348	n01608432	n01945685	n03496892	n03026506	n07747607	n04372370	n04081281
n03384352	n04557648	n03920288	n07860988	n02108551	n07579787	n04553703	n02268853
n02454379	n03532672	n02110806	n02606052	n02408429	n03814906	n02089078	n04310018
n09246464	n02643566	n02825657	n03197337	n03355925	n04591157	n02109525	n02006656
n04162706	n02480495	n04435653	n02808440	n02437616	n02951585	n03297495	n03240683
n02823750	n02091467	n04525038	n12985857	n02423022	n02870880	n02447366	n02236044
n11939491	n02445715	n12057211	n04429376	n02087046	n03045698	n01688243	n07697537
n04540053	n02395406	n03673027	n04584207	n03792972	n02092002	n02865351	n01773797
n02112350	n02120079	n04146614	n01798484	n04252077	n04507155	n02403003	n03134739
n01630670	n04070727	n02361337	n02114367	n03594945	n03976467	n03478589	n03787032
n04285008	n02481823	n02281406	n01914609	n02442845	n02108000	n02077923	n03658185
n04179913	n03417042	n02066245	n07880968	n02776631	n02123045	n02356798	n02999410
n02417914	n02326432	n02640242	n01537544	n02974003	n12267677	n02226429	n02108915
n02088238	n02099601	n02747177	n01665541	n03187595	n03770439	n04428191	n02276258
n07802026	n02794156	n02841315	n02834397				

Table 8: C_{base}^2

n10565667	n02978881	n03126707	n07693725	n01818515	n02802426	n03877845	n02094114
n03781244	n03443371	n02256656	n02087394	n02111129	n02074367	n02892767	n03724870
n04204347	n03888257	n01770393	n02107574	n03498962	n07714571	n06785654	n02091032
n02095889	n01770081	n03188531	n02089973	n01924916	n04335435	n01534433	n04090263
n02090622	n13040303	n09835506	n01739381	n02667093	n01740131	n02687172	n03720891
n01530575	n04074963	n01797886	n02799071	n09229709	n03873416	n02097298	n03871628
n03777568	n02883205	n01694178	n03529860	n03995372	n04033995	n02795169	n02980441
n04532670	n01882714	n07768694	n04152593	n02112018	n02607072	n02493793	n02669723
n02492660	n04404412	n04476259	n04033901	n04505470	n01749939	n02948072	n04483307
n04147183	n03697007	n02443484	n03372029	n02804610	n04579432	n03761084	n02086910
n01776313	n02085936	n02398521	n03743016	n01697457	n03868863	n03874599	n02107142
n02115641	n04204238	n04550184	n03929660	n01843065	n03590841	n04366367	n03793489
n02514041	n02692877	n02123159	n04201297	n02396427	n03764736	n02051845	n01704323
n02641379	n01983481	n03666591	n03832673	n03786901	n02088364	n02097474	n07695742
n03930313	n03902125	n02823428	n02089867	n03982430	n04515003	n03272562	n03623198
n04376876	n01532829	n02971356	n13054560	n07613480	n02101006	n03770679	n02095570
n01855672	n03877472	n01986214	n02028035	n07892512	n02096294	n02422106	n02437312
n07745940	n02701002	n07248320	n02843684	n02165456	n02105855	n01980166	n03461385
n03041632	n03956157	n03476684	n02727426	n04259630	n15075141	n13133613	n04254120
n03662601	n03485407	n07715103	n02119022	n01985128	n03075370	n02457408	n04326547
n02093647	n04562935	n04026417	n04125021	n02174001	n02895154	n04270147	n06359193
n07873807	n04501370	n13052670	n02130308	n02277742	n02123394	n03617480	n01817953
n12998815	n04371430	n02168699	n03482405	n02098413	n07717410	n04367480	n02109961
n04275548	n07871810	n02877765	n04409515	n07831146	n02389026	n03250847	n01734418
n02033041	n02415577	n02808304	n04599235	n03866082	n02259212	n02927161	n04522168
n02397096	n03788365	n01833805	n02115913	n03888605	n01784675	n04479046	n04235860
n13037406	n02909870	n01685808	n03452741	n03445924	n01872401	n04208210	n02814533
n02113624	n01675722	n03933933	n03998194	n03447447	n02113799	n04604644	n02107312
n01580077	n02708093	n03937543	n02112137	n02124075	n02489166	n02125311	n04141975
n02027492	n03970156	n02104365	n02100236	n04486054	n04243546	n02137549	n02443114
n02002556	n04141076	n02100583	n03776460	n02804414	n01860187	n01773549	n03692522
n03347037	n03259280	n02085782	n02655020	n02815834	n04417672	n02093428	n03691459
n02177972	n02791270	n02097047	n03991062	n04069434	n04418357	n04467665	n04111531
n02979186	n04465501	n01751748	n03584829	n02319095	n03404251	n03124043	n04392985
n03141823	n03967562	n03903868	n01558993	n02090721	n02106030	n07711569	n04049303
n06596364	n04317175	n02363005	n04443257	n03759954	n02113978	n02504013	n03220513
n03032252	n03954731	n03000684	n02106550	n04532106	n03733281	n02500267	n02086240
n04023962	n01737021	n02441942	n04462240				

Table 9: C_{novel}^1

n03710193	n02105412	n07753275	n03908714	n03535780	n09468604	n02113023	n01677366
n02536864	n01728920	n02483362	n02128757	n04154565	n04344873	n09256479	n07720875
n03196217	n07875152	n01871265	n01796340	n04265275	n03961711	n01496331	n03272010
n03388043	n02102480	n02837789	n03721384	n03710637	n02097209	n02109047	n02095314
n03717622	n01601694	n02056570	n02480855	n03207941	n04149813	n02233338	n02101556
n03388183	n02058221	n03742115	n04118776	n02879718	n02102177	n03637318	n03179701
n02328150	n04612504	n02099712	n02504458	n03729826	n03042490	n04209133	n04251144
n04356056	n03249569	n04037443	n01644373	n03314780	n02487347	n02699494	n03837869
n03125729	n02950826	n03733131	n03887697	n03942813	n03095699	n02807133	n04228054
n02088632	n02280649	n02114712	n03000134	n02110341	n01824575	n04040759	n07717556
n04523525	n01774750	n03599486	n01682714	n04041544	n07760859	n02279972	n02002724
n01955084	n02007558	n01748264	n03935335	n02096585	n03838899	n02281787	n02086079
n04554684	n04229816	n03649909	n03110669	n04447861	n03804744	n02107683	n02025239
n02094433	n03676483	n01855032	n02037110	n09421951	n02093991	n04328186	n03899768
n02493509	n01768244	n03633091	n02116738	n03657121	n03895866	n01978287	n09193705
n03773504	n03146219	n03445777	n02128925	n07753592	n02128385	n02111889	n04442312
n03325584	n02797295	n02088094	n02092339	n01729322	n04487081	n03598930	n01667778
n02787622	n07718472	n07754684	n03938244	n02219486	n03791053	n06794110	n01917289
n03958227	n03018349	n02113712	n03980874	n03530642	n02483708	n01644900	n02497673
n04461696	n03733805	n03710721	n04458633	n01984695	n04357314	n01689811	n03803284
n03944341	n12620546	n03680355	n02672831	n02110627	n07716358	n04238763	n03891332
n02132136	n02105251	n03133878	n03825788	n01828970	n01877812	n04355933	n03891251
n04380533	n02113186	n02017213	n02013706	n02108089	n02097130	n02963159	n03857828
n02190166	n03459775	n01774384	n02817516	n07836838	n04347754	n03690938	n01744401
n04008634	n01664065	n01631663	n02104029	n07590611	n02108422	n02094258	n01629819
n07714990	n07920052	n03180011	n03255030	n01531178	n03775546	n01843383	n04141327
n01692333	n03207743	n04398044	n03063689	n02101388	n03709823	n07614500	n02110063
n04127249	n02085620	n04263257	n02129165	n02129604	n09288635	n02102973	n02788148
n03424325	n02490219	n02231487	n02106382	n02229544	n01930112	n03642806	n04067472
n02106166	n04536866	n02098286	n01518878	n01440764	n02444819	n02484975	n02093859
n03868242	n03223299	n02869837	n02346627	n03017168	n02906734	n02105162	n02860847
n01498041	n02793495	n02730930	n02088466	n03337140	n01944390	n04311174	n03782006
n04399382	n02172182	n03447721	n09472597	n09332890	n07716906	n03876231	n03028079
n02777292	n02110958	n01514668	n03047690	n02892201	n01775062	n04370456	n03100240
n03063599	n01753488	n01667114	n04133789	n02133161	n02018795	n07684084	n03595614
n02099849	n02098105	n04004767	n02840245	n04355338	n03109150	n02165105	n02325366
n02138441	n03840681	n02093256	n03065424	n02127052	n04592741	n02105505	n04273569
n02494079	n02790996	n02134418	n10148035	n03160309	n02981792	n04009552	n03977966
n03584254	n04371774	n02102040	n04596742	n02111277	n01669191	n03492542	

Table 10: C_{novel}^2